

# TOMATO CIARA



**CIARA is an exciting new compact determinate saladette variety that is early, bacterial wilt resistant and suited to warm, wet conditions.**

- Well adapted variety
- Compact, balanced plant
- Big fruit size
- Fol:3, Rs, TMV and TSWV resistance

## Type

A determinate saladette tomato suited for open field conditions.

## Maturity

It's a good early-medium maturing variety. The first fruit will mature around 70-80 days after transplanting. Days to maturity may vary due to environmental conditions that may delay maturity.

## Plant Characteristics

CIARA is compact, with a strong stand and plant framework, making the variety balanced and well adapted to harsh conditions.

## Plant Populations

Depending on spacing the variety can be planted between 13 500 - 15 000 plants per hectare. It is an open field variety requiring one to three wires to help keep it upright with the fruit set.

## Variety Characteristics

CIARA is a firm, large, egg-shaped fruit with an average mass of 140-170g. It is well balanced and keeps its fruit shape and size.

## Features & Benefits

CIARA has an excellent disease resistance package, with good fruit size in comparison to STAR 9065 and BLYE.

## Disease Resistance

HR: Va:1, Vd:1, Fol:1-3, TMV, IR: Rs, Lt, TSWV, TYLCV

**Disclaimer:** This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Starke Ayres Standard Terms and Conditions of Sale before ordering seed.

**Resistance:** is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).