



- Well adapted variety
- Compact, balanced plant
- Medium fruit size
- Fol:3, On, TMV, TYLCV and TSWV resistance



Indeterminate round.

## Maturity

It's a good medium maturing variety. The first fruit will mature around 90-95 days after transplanting. Days to maturity may vary due to environmental conditions that may delay maturity.

### **Plant Characteristics**

GWEN is robust, with a strong stand and plant framework, making the variety balanced and well adapted to indoor conditions.

### **Plant Populations**

Depending on spacing the variety can be planted between 12 500 - 13 500 double stemmed or single stem pruned with a planting population of 25 000 plants per hectare. Depending on the rootstock used, extra vigour or disease resistance can be added as required.

# Variety Characteristics

GWEN is a firm, medium-large, slightly deep fruit with an average mass of 140-160g. It is well balanced and keeps its fruit shape and size.

### Features & Benefits

GWEN has a good disease resistance package, with good fruit size in comparison to RENKA. This variety has a high level of resistance to powdery mildew.

# **Disease Resistance**

HR: Va:1, Vd:1, Fol:1-3, On, TMV, TYLCV, IR: TSWV

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Starke Ayres Standard Terms and Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen and/or the damage they cause when compared to susceptible plant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).





