

SHORT DAY ONION - BROWN

| CHARACTERISTICS | IRATI | AGRIPPA | TUSKER | HAWKE* (New) ON2673 | TERENA | JAMILA | VERONICA | NGWAZI |
|-------------------------|---|--|--|--|--|---|---|---|
| Maturity | Main | Early SD | Main | Main | Main | Main | Main | Main |
| Storability (Months) | Short (2 - 3) | Short (1 - 2) | Short (1 - 2) | Short (2 - 4) | Short (2 - 4) | Short (2 - 4) | Short (2 - 4) | Short (2 - 3) |
| Bulb Shape | Grano round | Globe | Slightly flattened globe to globe | Globe | Globe | Globe | Grano round | Globe |
| Type | Early fresh market short term storage. Firm bulb with tight skin and good colour. | Early hybrid with good quality and firmness. Very good skins and colour for an early onion | Fresh market and processing. Firm bulb with good skin, good colour and high percentage single centres. | Fresh market and processing. Firm bulb with tight skins and good colour. | Fresh market and processing. Firm bulb with tight skins and good colour. | Fresh market and processing. Firm bulb with excellent skin and good colour. | Fresh market and processing. Firm bulb with excellent skin, good colour and high percentage single centres. | Early fresh market short term storage. Firm bulb with tight skin. |
| Intermediate Resistance | - | - | Pink root | - | - | - | Pink root | - |

For availability in your country, please contact the sales representatives in your area.

St - Pink Root (*Setophoma terrestris*)

SHORT DAY ONION - BROWN

| CHARACTERISTICS | MZURI | KITARA | ARABELA | TACANA | LINCA | NYALA | MUKUBA | ASKARI |
|-------------------------|--|---|---|--|---|--|---|---|
| Maturity | Early Short Day | Early Short Day | Main Short Day | Late Short Day | Late Short Day | Late Short Day | Main Short Day | Main |
| Storability (Months) | Short (1 - 2) | Short (1 - 2) | Medium (3 - 4) | Short (2 - 4) | Medium (3 - 4) | Short (2 - 4) | Short (2 - 4) | Short (2 - 4) |
| Bulb Shape | Grano round | Globe | Grano round | Grano round | Grano round | Grano round | Round to deep round | Globe |
| Type | Early maturing onion with good colour for an early onion | Early maturing with excellent yield potential and good colour | Early maturing with excellent colour and skin retention | High yield potential sweet hybrid with low pungency and light straw colour | Good quality bulb for medium term storage with nice colour and skin | High yielding potential with excellent foliar disease resistance | Fresh market and processing. Firm bulb with tight skin and good colour. | Very adaptable early fresh market bulb with tight skin average colour and high percentage single centres. |
| Intermediate Resistance | - | - | - | Pink root | - | Pink root | - | - |

For availability in your country, please contact the sales representatives in your area.

St - Pink Root (*Setophoma terrestris*)

ONION LATE SHORT DAY EARLY INTERMEDIATE

| CHARACTERISTICS | ARARA | KRATOS (New) ON2796 |
|-------------------------|--|---|
| Maturity | Late SD/Transition | Late SD/Transition |
| Storability (Months) | 2-4 | 3-5 |
| Bulb Shape | Globe | Globe |
| Type | High yielding hybrid with excellent skins and colour | Hybrid with excellent bronze colour and tight skins |
| Intermediate Resistance | Pink root | - |

For availability in your country, please contact the sales representatives in your area.

St - Pink Root (*Setophoma terrestris*)

ONION SHORT DAY RED & PINK

| CHARACTERISTICS | YAKUTI | RUBICON ON 3001 (New) | RUBEX | ROSADA |
|-------------------------|---|---|---|--|
| Maturity | Main SD Red | Main SD Red | Early SD Pink | Main SD Pink |
| Storability (Months) | 1-2 | 2-3 | 0 | 1-2 |
| Bulb Shape | Grano round | Globe/Flattened globe | Grano | Grano round |
| Type | Red coloured hybrid with good yield potential | Dark red hybrid with excellent skin quality | Early maturing, light pink coloured hybrid with excellent yield potential | Nice tight skins, pink coloured hybrid with some storage potential |
| Intermediate Resistance | Pink root | Pink root | - | - |

For availability in your country, please contact the sales representatives in your area.

St - Pink Root (*Setophoma terrestris*)